Ref #	Hits	Search Query	DBs	Default Operator	Piurals	Time Stamp
L4	57	(mobile radio phone PDA wireless) near4 (device) with (transmit\$5) with (location position) near4 (server) and "701"/\$:ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:38
L1	278	(mobile radio phone PDA wireless) near4 (device) with (transmit\$5) with (location position) near4 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 09:37
L3	42	("3715758"   "4030033"   "4941155"   "5148179"   "5379224"   "5621646"   "5726659"   "5781156"   "5812087"   "5825327"   "5828336"   "5831574"   "5841396"   "5874914"   "5884214"   "5893044"   "5899957"   "5907809"   "5913170"   "5920278"   "5936572"   "5945944"   "5999124"   "6002363"   "6016119"   "6023477"   "6051018"   "6052081"   "6064336"   "6075987"   "6121923"   "6122506"   "6133874"   "6185427"   "6243587"   "6252545"   "6289041"   "6289280"   "6295023"   "6295024"   "6313786"   "6324474") PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/14 09:27
L2	2	"6853916".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 08:36
S26 8	3	(mobile radio phone PDA wireless) near4 (device) with (transmit\$5) with (location position) near4 (token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 07:50
S31 0	12	(updat\$5 fill\$5) near10 (location) near10 ((zip adj code) (cell adj ID) (longitude latitude)) same (wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:04
S30 9	137	(updat\$5 fill\$5) near10 (location) near10 ((zip adj code) (cell adj lD) (longitude latitude))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:04
S30 8	46	(updat\$5 fill\$5) near10 (frame packet) near10 ((zip adj code) (cell adj ID) (longitude latitude))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:04
S30 7	0	(updat\$5 fill\$5) near10 location near4 (frame packet) near10 ((zipadj code) (cell adj ID) (longitude latitude))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:02
S30 6	28	(updat\$5 fill\$5) near10 location near4 (frame packet) near10 (field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 17:01
S30 5	O	(updat\$5 fill\$5) near10 wireless near4 location near4 (frame packet) near10 (field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 16:32
S30 4	139	wireless near4 location near4 (frame packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 16:31

S27 1	2	"6522888".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 16:29
S30 3	2	"6381465";pn	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2006/09/13 16:18
S30 2	1	09/676059	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 16:17
S30 1	1	09/102957	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/13 15:40
S30 0	2	09/780916	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:38
S29 9	22	(command\$5 instruct\$5) near4 (field) near5 (insert\$5) near5 (location position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/13 15:38
S29 8	3	(command\$5 instruct\$5) near4 (devices) near5 (insert\$5) near5 (location position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:36
S22 5	2	"6677894".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 15:30
S29 7	26	("20020090957"   "20020123354"   "20030148774"   "20030157939"   "5208756"   "5218367"   "5272483"   "5519760"   "5577100"   "5600706"   "5721678"   "5724660"   "5758288"   "5767788"   "5774802"   "5774829"   "5787354"   "5884221"   "5913170"   "5926133"   "6195556"   "6212392"   "6246884"   "6256504"   "6324404"   "6859173").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/13 14:53
S29 6	142		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/13 14:34
S29 5	1001	(providing insert\$5 adding) near4 ((cell adj ID) latitude logitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:34
S29 4	0	(network) near3 (device) same (providing insert\$5 adding) near4 ((cell adj ID) latitude logitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:33
S29 2	1	(intermediary) near3 (device) same (providing insert\$5 adding) near4 ((cell adj ID) latitude logitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:32

S29 1	2	(intermediary) near3 (device) same ((cell adj ID) latitude logitude) and (mobile radio phone PDA wireless) near4 (device)	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2006/09/13 14:32
S29 0	316	(intermediary) near3:(device) same(mobile radio phone PDA wireless) near4:(device)	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2006/09/13 14:30
S28 6	4146	(intermediary) near3 (device)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:25
S28 9	13	("5499288"   "5557658"   "5673404"   "5790637"   "5915001"   "5940476"   "5946654"   "6014439"   "6038305"   "6058364"   "6101242"   "6122357"   "6178230") PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/13 14:23
S28 8	20	(intermediar\$5) adj3 (device) with (wireless adj3 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:21
S28 7	3	(intermediar\$5) adj3 (device) with (network adj3 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/13 14:21
S28 5	37	(insert\$5) near4 (signature near3 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:19
S28 4	0	(insert\$5) near4 (signature near3 code) near3 (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:10
S28 2	0	(insert\$5) near4 (signature near3 code) near3 (server) same (logitude latitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:10
S28 3	0	(insert\$5) near4 (signature near3 code) same (location adj5 server) same (logitude latitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:09
S28 1	0	(insert\$5) near4 (signature near3 code) near3 (location adj5 server) same (logitude latitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:09
S28 0	0	(insert\$5) near4 (signature near3 code) near3 (location adj server) same (logitude latitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13:14:09
S27 9	0	(insert\$5) near4 (signature near3 code) near4 (logitude latitude)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:09

S27 7	16	(location) adj2 (token) with(mobile radio phone PDA wireless) near4 (device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 14:06
S27 8	6	("20020180640"   "20030006935"   "20030013146"   "5510800"   "6150921"   "6300904").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/13 13:54
S27 6	516	(location) adj2 (token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/13 13:54
S27 5	2232	(locat\$5):near4 (token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 13:53
S26 2	-177	(locat\$5) near4 (mobile radio phone PDA wireless) near4 (device) and WAP adj gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/13 13:53
S27 4	182	(mobile radio phone PDA wireless) same (contribut\$5) near4 (location position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:26
S27 3	. 1772	(mobile radio phone PDA wireless) and (contribut\$5) near4 (location position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:26
S26 ∢1	11	(mobile radio phone PDA wireless) near4 (device) near4 (locat\$5) near4 (data information latitude longitude zip country) near5 (collect\$5) and WAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/13 11:25
S27 2	749	(mobile radio phone PDA wireless) near4 (device) with (transmit\$5) with (location position) near4 (data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/13 11:11
S26 7	776	(mobile radio phone PDA wireless) near4 (device) with (transmit\$5) with (location position) near4 (token script data field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 11:09
S27 0	32	(mobile radio phone PDA wireless) near4 (device) with (transmit\$5) with (location position) near4 (field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓИ	2006/09/13 10:59
S26 9	0	(mobile radio phone PDA wireless) near4 (device) with (transmit\$5) with (location position) near4 (script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 10:08
S26 6	21	(locat\$5) near4 (mobile radio phone PDA wireless) near4 (device) and (trace near3 route)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 10:04

S26 5	34	("20010005839"   "20010011248"   "20010013037"   "20010014911"   "5587715"   "5625668"   "5712899"   "5796365"   "5841396"   "5848396"   "5852775"   "5872539"   "5913170"   "5959577"   "5991735"   "6049711"   "6050898"   "6055510"   "6113494"   "6134532"   "6147642"   "6150980"   "6157841"   "6167255"   "6181927"   "6208866"   "6216129"   "6223291"   "6292743"   "6321091"   "6334056"   "6374177"   "6405123"   "6507785").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/13 09:06
S26 4	2	"6609005".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:03
S26 3	2	"7031875".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/13 09:03
S26 0	1	(query\$5) near5 (mobile radio phone PDA wireless) near4 (device) near4 (locat\$5) and (WAP adj gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:53
S25 9	, 0	(query\$5) near5 (mobile radio phone PDA wireless) near4 (device) near4 (locat\$5) and (WAP adj gateway) same (location near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:50
S25 8	0	(query\$5) same (WAP adj gateway) same (location near3 server) same (mobile radio phone PDA wireless) near4 (device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:48
S25 7	69	(WAP adj gateway) and(location near3 server) and (locat\$5 near4 (mobile radio phone PDA wireless) near4 (device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:46
S25 4	210	(WAP adj gateway) and(location near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:44
S25 6	0	(WAP adj gateway) and (global near3 positioning near3 server) and (location near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:43
S25 5	0	(WAP adj gateway) and (global near3 positioning near3 server) and (location near3 server) and (mobile near3 location near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/12 16:43
S25 1	29	(WAP adj gateway) with ((global near3 positioning near3 server)(location near3 server)(mobile near3 location near3 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:43
S25 3	29	(WAP adj gateway):with:(location:near3 server)	US-PGPUB; USPAT; EPO: JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:42

S24 9	5	(zero\$5 narrow\$5) near4 ((cell adj phone) PDA (wireless adj device)) near4 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/12 16:21
S24 8	101	(header) same (zip (cell adj (identification ID)) latitude longitude city country location) same ((cell adj phone) PDA (wireless adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/12 14:37
S24 6	338	(header) same (zip (cell adj (identification ID)) latitude longitude city country location) same (phone PDA (wireless adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:29
S24 7	1	(header) same (zip (cell adj (identification ID)) latitude longitude city country location) same (phone PDA (wireless adj device)) and (aggregat\$5 fine) near4 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:20
S24 5	3	(header) same (zip (cell adj (identification ID)) latitude longitude city country) same (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:18
S24 3	0	(header) same (field)same (zip (cell adj (identification ID)) latitude longitude city country) same (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:15
S24 4	237	device same (zip (cell adj (identification ID)) latitude longitude city country) same (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 14:04
S24 1	192	network same (zip (cell adj (identification ID)) latitude longitude city country) same (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/12 14:03
S24 2	1	network near3 provid\$5 near7 (zip (cell adj (identification ID)) latitude longitude city country) same (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:50
S24 0	0	netowrk same (zip (cell adj (identification ID)) latitude longitude city country) same (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	ÖR	ON	2006/09/12 13:49
S23 9	0	assist\$5 near4 server same (zip (cell adj (identification ID)) latitude longitude city country) same (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:49
S23 7	0	assist\$5 near4 server same populat\$5 near5 (zip (cell adj (identification ID)) latitude longitude city country) same (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:49
S23 8		network near5 populat\$5 near5 (zip (cell adj (identification ID)) latitude longitude city country) same (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:48

S23 6	19	assist\$5 near4 server near5 (phone PDA (wireless adj device)) near3 (location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/09/12 13:46
S23 4	48	server near4 request\$5 near5 (location (cell adj (ID identification))) near5 (phone PDA (wireless adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:38
S23 5	1	"6591291".PN.	USPAT; USOCR	OR	ON	2006/09/12 13:20
S23 3	10	insert\$5 same (cell adj (ID identification)) same (information data) same (request\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:06
S23 2	2	insert\$5 same (cell adj (ID identification)) same (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:01
S23 1	0	(phone PDA wireless WAP) same insert\$5 same (cell adj (ID identification)) same (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:01
S23 0	0	(phone PDA wireless WAP) same insert\$5 with (cell adj (ID identification)) same (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:00
S22 9	0	(phone PDA wireless WAP) same insert\$5 with (cell adj (ID identification)) with (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:00
S22 8	. 0	(phone PDA wireless WAP) with insert\$5 with (cell adj (ID identification)) with (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 13:00
S22 7	3	(phone PDA wireless WAP) with send\$5 with (cell adj (ID identification)) with (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/09/12 13:00
S22 6	1	(phone PDA wireless WAP) with send\$5 with respon\$6 with (cell adj (ID identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 12:56
S1	1160	((collect\$5 transfer\$5 find\$5 locat\$5 gather\$5 obtain\$5) near10 (mobile cell PDA) near10 (client location))and (handoff handover) and ((WAP) (gateway server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 11:23
S22 3	119	(mobile cellular) near6 (location) near5 (code signature token zip data) and S221 and location near3 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 11:11